



SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : Urinal cubes Fresh'Mouss Nicols
Product code : 504955.
UFI : D6UD-S5KE-2103-S729

1.2. Relevant identified uses of the substance or mixture and uses advised against

Detergents WC - No specific use outside the identified use for cleaning WC bowls

1.3. Details of the supplier of the safety data sheet

Registered company name : NICOLS France Sarl.
Address : 2, allée des Erables.59980.Bertry.France.
Telephone : +33327765926 - 9:00-17:00. Fax : +33327765627.
regulatory.affairs@nicols.eu

1.4. Emergency telephone number : .

Association/Organisation : .

Other emergency numbers

UK: Medical Helpline – NHS, phone : 111; Australia: NSW Poisons Information Centre The Children's Hospital at Westmead Locked Bag 4001 Westmead, NSW 2145 Australia : 13 11 26

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).
Skin irritation, Category 2 (Skin Irrit. 2, H315).
Serious eye damage, Category 1 (Eye Dam. 1, H318).
Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).
This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

Detergent mixture (see section 15).

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS05



GHS07

Signal Word :

DANGER

Product identifiers :

EC 270-115-0

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE)

Hazard statements :

H302

Harmful if swallowed.

Cubes urinoir Fresh'Mouss NICOLS - 504955

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statements - General :	
P102	Keep out of reach of children.
Precautionary statements - Prevention :	
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
Precautionary statements - Response :	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary statements - Disposal :	
P501	Dispose of the contents/container in accordance with the local regulations in force.



2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances $\geq 0.1\%$ with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures



Composition :

Identification	(EC) 1272/2008	Note	%
CAS: 68411-30-3 EC: 270-115-0 REACH: 01-2119489428-22 BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE)	GHS07, GHS05 Dgr Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412		25 \leq x % < 50
CAS: 112-53-8 EC: 203-982-0 LAURYL ALCOHOL	GHS07, GHS09 Wng Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 1	[1]	0 \leq x % < 1
CAS: 111-27-3 EC: 203-852-3 HEXAN-1-OL (HEXYL ALCOHOL)	GHS07, GHS02 Wng Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 4, H312 Eye Irrit. 2, H319	[1]	0 \leq x % < 1
INDEX: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 REACH: 01-2119457892-27 SODIUM HYDROXIDE	GHS05 Dgr Skin Corr. 1A, H314	[1]	0 \leq x % < 1
CAS: 5392-40-5 EC: 226-394-6 CITRAL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	[1]	0 \leq x % < 1
CAS: 5989-27-5 EC: 227-813-5	GHS02, GHS07, GHS08, GHS09 Dgr	[1]	0 \leq x % < 1

D-LIMONENE	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1		
------------	--	--	--


Specific concentration limits:

Identification	Specific concentration limits	ATE
CAS: 68411-30-3 EC: 270-115-0 REACH: 01-2119489428-22 BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE)		oral: ATE = 404 mg/kg BW
CAS: 111-27-3 EC: 203-852-3 HEXAN-1-OL (HEXYL ALCOHOL)		dermal: ATE = 1750 mg/kg BW oral: ATE = 500 mg/kg BW
INDEX: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 REACH: 01-2119457892-27 SODIUM HYDROXIDE	Skin Corr. 1A: H314 C>= 5% Skin Corr. 1B: H314 2% <= C < 5% Skin Irrit. 2: H315 0.5% <= C < 2% Eye Dam. 1: H318 C>= 2% Eye Irrit. 2: H319 0.5% <= C < 2%	


Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.


4.1. description of first aid measures
In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

If there is any redness, pain or visual impairment, consult an ophthalmologist.


In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No acute effects have been identified other than any that may be mentioned in section 2.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately and see section 4.1 for first aid measures.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media
Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- carbon dioxide (CO₂)
- powder
- foam

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO₂)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus and with standard protective clothes to fight chemical fire.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming).

6.4. Reference to other sections

See section 8 and 13.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

*

Storage

Keep out of reach of children.

Keep away from food and drink, including those for animals.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

Detergents WC - No specific use outside the identified use for cleaning WC bowls : see section 1.2

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

Cubes urinoir Fresh'Mouss NICOLS - 504955

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
1310-73-2			2 mg/m ³		
5392-40-5	5 (IFV) ppm			Skin; SEN; A4	

- Germany - AGW (BAuA - TRGS 900, 02/2022) :

CAS	VME :	VME :	Excess	Notes
112-53-8		20 ppm 155 mg/m ³		1(I)
111-27-3		25 ppm 105 mg/m ³		1(I)
5989-27-5		5 ppm 28 mg/m ³		4(II)

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021) :

CAS	VME-ppm :	VME-mg/m ³ :	VLE-ppm :	VLE-mg/m ³ :	Notes :	TMP No :
1310-73-2	-	2	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
1310-73-2		2 mg/m ³			

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

Final use:

Exposure method:
Potential health effects:
DNEL :

Workers.

Dermal contact.
Long term systemic effects.
170 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
12 mg of substance/m³

Final use:

Exposure method:
Potential health effects:
DNEL :

Consumers.

Ingestion.
Long term systemic effects.
0.85 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Dermal contact.
Long term systemic effects.
85 mg/kg body weight/day

Exposure method:
Potential health effects:
DNEL :

Inhalation.
Long term systemic effects.
3 mg of substance/m³

Predicted no effect concentration (PNEC):

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)

Environmental compartment: Fresh water.
PNEC : 0.268

Environmental compartment: Sea water.
PNEC : 0.0268

Environmental compartment: Intermittent waste water.
PNEC : 0.0167

Environmental compartment: Fresh water sediment.
PNEC : 8.1

Environmental compartment: Waste water treatment plant.
PNEC : 3.43

8.2. Exposure controls**Personal protection measures, such as personal protective equipment**

Use personal protective equipment that is clean and has been properly maintained.
Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

Wear protective clothing against solid chemicals and particles suspended in the air (type 5) in accordance with standard EN13982-1/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling dust.

Type of FFP mask :

Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state

Physical state :	Solid.
------------------	--------

Colour

Color:	Blue
--------	------

Odour

Odour threshold :	Not stated.
-------------------	-------------

Melting point

Melting point/melting range :	Not relevant.
-------------------------------	---------------

Freezing point

Freezing point / Freezing range :	Not stated.
-----------------------------------	-------------

Boiling point or initial boiling point and boiling range

Boiling point/boiling range :	Not relevant.
-------------------------------	---------------

Flammability

Flammability (solid, gas) :	Not stated.
-----------------------------	-------------

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%) :	Not stated.
---	-------------

Explosive properties, upper explosivity limit (%) :	Not stated.
---	-------------

Flash point

Flash point interval :	Not relevant.
------------------------	---------------

Auto-ignition temperature

Self-ignition temperature :	Not relevant.
-----------------------------	---------------

Decomposition temperature

Decomposition point/decomposition range :	Not relevant.
---	---------------

pH

pH (aqueous solution) :	Not stated.
-------------------------	-------------

pH :	Not relevant.
------	---------------

Kinematic viscosity

Viscosity :	Not stated.
-------------	-------------

Solubility

Water solubility :	Soluble.
--------------------	----------

Fat solubility :	Not stated.
------------------	-------------

**Partition coefficient n-octanol/water (log value)**

Partition coefficient: n-octanol/water : Not stated.

**Vapour pressure**

Vapour pressure (50°C) : Not relevant.

**Density and/or relative density**

Density : Not stated.

**Relative vapour density**

Vapour density : Not stated.

**Particle characteristics**

Particle size : -

**9.2. Other information**

No additional data available

**9.2.1. Information with regard to physical hazard classes**

No additional data available

**9.2.2. Other safety characteristics**

No additional data available

SECTION 10 : STABILITY AND REACTIVITY**10.1. Reactivity**

Mixture not reactive in normal conditions of storage and use.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No incompatible dangerous reactions known.

10.4. Conditions to avoid

Avoid :

- formation of dusts

Dusts can form an explosive mixture with air.

Avoid the heating of the mixture.

10.5. Incompatible materials

No incompatible raw materials identified.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO₂)**SECTION 11 : TOXICOLOGICAL INFORMATION****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Harmful if swallowed.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

11.1.1. Substances**Acute toxicity :**

HEXAN-1-OL (HEXYL ALCOHOL) (CAS: 111-27-3)

Oral route : LD50 = 500 mg/kg

Dermal route : LD50 = 1750 mg/kg

Inhalation route (Vapours) : LC50 > 100 mg/l
Duration of exposure : 4 h

LAURYL ALCOHOL (CAS: 112-53-8)

Oral route : LD50 > 5000 mg/kg

Cubes urinoir Fresh'Mouss NICOLS - 504955

Dermal route : LD50 > 5000 mg/kg

Inhalation route (Vapours) : LC50 > 100 mg/l
Duration of exposure : 4 hBENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)
Oral route : LD50 = 404 mg/kg
Species : Rat**Skin corrosion/skin irritation :**HEXAN-1-OL (HEXYL ALCOHOL) (CAS: 111-27-3)
Irritation : Causes mild skin irritation.
2 <= Average score < 2.3**Germ cell mutagenicity :**BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)
No mutagenic effect.**Carcinogenicity :**BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)
Carcinogenicity Test : Negative.
No carcinogenic effect.**Reproductive toxicant :**BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)
No toxic effect for reproduction**Specific target organ systemic toxicity - repeated exposure :**BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)
Oral route : C = 125 mg/kg poids corporel/jour
Species : Rat
Duration of exposure : 28 jours**11.1.2. Mixture****11.2. Information on other hazards****Endocrine disrupting properties**

See section 2.3

**Other information**

See section 2.3

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 5989-27-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity**12.1.1. Substances**BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)
Fish toxicity : LC50 = 1.67 mg/l

Species : Lepomis macrochirus

Duration of exposure : 96 h

NOEC = 0.23 mg/l

Crustacean toxicity : EC50 = 2.9 mg/l
Species : Daphnia magna
Duration of exposure : 48 h

Algae toxicity : NOEC > 1 mg/l

12.1.2. Mixtures

No test performed on the mixture

12.2. Persistence and degradability

The surfactants contained in the product correspond to the direction on the environmental compatibility of detergents and are biodegradable.

12.2.1. Substances

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)
Biodegradability : Rapidly degradable.

12.3. Bioaccumulative potential**12.3.1. Substances**

BENZENESULFONIC ACID, C10-13-ALKYL DERIVS., SODIUM SALTS (SODIUM C10-13 ALKYL BENZENESULFONATE) (CAS: 68411-30-3)
Octanol/water partition coefficient : log K_{ow} = 3.32

12.4. Mobility in soil

No test performed on the mixture.

12.5. Results of PBT and vPvB assessment

See section 2.3

12.6. Endocrine disrupting properties

See section 2.3

12.7. Other adverse effects

No test performed on the mixture.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

-

14.2. UN proper shipping name

-

14.3. Transport hazard class(es)

-

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments


-

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

 - **Container information:**

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH):

<https://echa.europa.eu/substances-restricted-under-reach>.

Packaging directive 94/62/EC and its adaptations.

- Particular provisions :

General consumer safety directive 2001/95/EC

 - **Labelling for detergents (EC Regulation No. 648/2004,907/2006) :**

- 30 % and more : anionic surfactants

- perfumes

- preservatives

benzisothiazolinone

15.2. Chemical safety assessment

Evaluation not achieved yet by ingredient suppliers, according to Reach Regulation.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

The information given correspond to the knowledge we have on the date mentioned on this document.

Wording of the phrases mentioned in section 3 :

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

 **Abbreviations :**

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS05 : Corrosion

Cubes urinoir Fresh'Mouss NICOLS - 504955

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.